

Wissenschaftliche Studien "Arthrose endlich heilen"

Makrophagen Polarisierung

1. Baek, K. W., Lee, D. I., Jeong, M. J., Kang, S. A., Choe, Y., Yoo, J. I., Yu, H. S., & Kim, J. S. (2020). Effects of lifelong spontaneous exercise on the M1/M2 macrophage polarization ratio and gene expression in adipose tissue of super-aged mice. *Experimental gerontology*, 141, 111091. <https://doi.org/10.1016/j.exger.2020.111091>
2. Camell, C., & Smith, C. W. (2013). Dietary oleic acid increases m2 macrophages in the mesenteric adipose tissue. *PloS one*, 8(9), e75147. <https://doi.org/10.1371/journal.pone.0075147>
3. Cheng, J., Tang, J. C., Pan, M. X., Chen, S. F., Zhao, D., Zhang, Y., Liao, H. B., Zhuang, Y., Lei, R. X., Wang, S., Liu, A. C., Chen, J., Zhang, Z. H., Li, H. T., Wan, Q., & Chen, Q. X. (2020). l-lysine confers neuroprotection by suppressing inflammatory response via microRNA-575/PTEN signaling after mouse intracerebral hemorrhage injury. *Experimental neurology*, 327, 113214. <https://doi.org/10.1016/j.expneurol.2020.113214>
4. Choudhery M. S. (2021). Strategies to improve regenerative potential of mesenchymal stem cells. *World journal of stem cells*, 13(12), 1845–1862. <https://doi.org/10.4252/wjsc.v13.i12.1845>
5. Gan, Z., Zhang, M., Xie, D., Wu, X., Hong, C., Fu, J., Fan, L., Wang, S., & Han, S. (2021). Glycinergic signaling in macrophages and its application in macrophage-associated diseases. *Frontiers in Immunology*, 12. <https://doi.org/10.3389/fimmu.2021.762564>
6. Gao, S., Zhou, J., Liu, N., Wang, L., Gao, Q., Wu, Y., Zhao, Q., Liu, P., Wang, S., Liu, Y., Guo, N., Shen, Y., Wu, Y., & Yuan, Z. (2015). Curcumin induces M2 macrophage polarization by secretion IL-4 and/or IL-13. *Journal of Molecular and Cellular Cardiology*, 85, 131–139. <https://doi.org/10.1016/j.yjmcc.2015.04.025>
7. Ji, J., Shu, D., Zheng, M., Wang, J., Luo, C., Wang, Y., Guo, F., Zou, X., Lv, X., Li, Y., Liu, T., & Qu, H. (2016). Microbial metabolite butyrate facilitates M2 macrophage polarization and function. *Scientific reports*, 6, 24838. <https://doi.org/10.1038/srep24838>
8. Kaplan, M., Shur, A., & Tendler, Y. (2018). M1 Macrophages but Not M2 Macrophages Are Characterized by Upregulation of CRP Expression via Activation of NFκB: a Possible Role for Ox-LDL in Macrophage Polarization. *Inflammation*, 41(4), 1477–1487. <https://doi.org/10.1007/s10753-018-0793-8>
9. Kawanishi, N., Yano, H., Yokogawa, Y., & Suzuki, K. (2010). Exercise training inhibits inflammation in adipose tissue via both suppression of macrophage infiltration and acceleration of phenotypic switching from M1 to M2 macrophages in high-fat-diet-induced obese mice. *Exercise immunology review*, 16, 105–118.
10. Klauder, Julia. (2021). Makrophagenaktivierung durch Hyperinsulinämie als Auslöser eines Teufelkreises der Entzündung im Kontext des metabolischen Syndroms. [10.25932/publishup-52019](https://doi.org/10.25932/publishup-52019).

11. Korbecki, J., & Bajdak-Rusinek, K. (2019). The effect of palmitic acid on inflammatory response in macrophages: an overview of molecular mechanisms. *Inflammation research : official journal of the European Histamine Research Society ... [et al.]*, 68(11), 915–932. <https://doi.org/10.1007/s00011-019-01273-5>
12. Liao, W. T., Hung, C. H., Liang, S. S., Yu, S., Lu, J. H., Lee, C. H., Chai, C. Y., & Yu, H. S. (2021). Anti-Inflammatory Effects Induced by Near-Infrared Light Irradiation through M2 Macrophage Polarization. *The Journal of investigative dermatology*, 141(8), 2056–2066.e10. <https://doi.org/10.1016/j.jid.2020.11.035>
13. Lu, D., Xu, Y., Liu, Q., & Zhang, Q. (2021). Mesenchymal Stem Cell-Macrophage Crosstalk and Maintenance of Inflammatory Microenvironment Homeostasis. *Frontiers in cell and developmental biology*, 9, 681171. <https://doi.org/10.3389/fcell.2021.681171>
14. Luque-Campos, N., Bustamante-Barrientos, F. A., Pradenas, C., García, C., Araya, M. J., Bohaud, C., Contreras-López, R., Elizondo-Vega, R., Djouad, F., Luz-Crawford, P., & Vega-Letter, A. M. (2021). The Macrophage Response Is Driven by Mesenchymal Stem Cell-Mediated Metabolic Reprogramming. *Frontiers in immunology*, 12, 624746. <https://doi.org/10.3389/fimmu.2021.624746>
15. Meng, L., Lu, C., Wu, B., Lan, C., Mo, L., Chen, C., Wang, X., Zhang, N., Lan, L., Wang, Q., Zeng, X., Li, X., & Tang, S. (2021). Taurine Antagonizes Macrophages M1 Polarization by Mitophagy-Glycolysis Switch Blockage via Dragging SAM-PP2Ac Transmethylation. *Frontiers in immunology*, 12, 648913. <https://doi.org/10.3389/fimmu.2021.648913>
16. Muñoz, J., Akhavan, N. S., Mullins, A. P., & Arjmandi, B. H. (2020). Macrophage polarization and osteoporosis: A Review. *Nutrients*, 12(10), 2999. <https://doi.org/10.3390/nu12102999>
17. Mushenkova, N. V., Nikiforov, N. G., Shakhpazyan, N. K., Orekhova, V. A., Sadykhov, N. K., & Orekhov, A. N. (2022). Phenotype Diversity of Macrophages in Osteoarthritis: Implications for Development of Macrophage Modulating Therapies. *International journal of molecular sciences*, 23(15), 8381. <https://doi.org/10.3390/ijms23158381>
18. Ren, W., Xia, Y., Chen, S., Wu, G., Bazer, F. W., Zhou, B., Tan, B., Zhu, G., Deng, J., & Yin, Y. (2019). Glutamine Metabolism in Macrophages: A Novel Target for Obesity/Type 2 Diabetes. *Advances in nutrition (Bethesda, Md.)*, 10(2), 321–330. <https://doi.org/10.1093/advances/nmy084>
19. Sag, D., Carling, D., Stout, R. D., & Suttles, J. (2008). Adenosine 5'-monophosphate-activated protein kinase promotes macrophage polarization to an anti-inflammatory functional phenotype. *Journal of immunology (Baltimore, Md. : 1950)*, 181(12), 8633–8641. <https://doi.org/10.4049/jimmunol.181.12.8633>
20. Saqib, U., Sarkar, S., Suk, K., Mohammad, O., Baig, M. S., & Savai, R. (2018). Phytochemicals as modulators of M1-M2 macrophages in inflammation. *Oncotarget*, 9(25), 17937–17950. <https://doi.org/10.18632/oncotarget.24788>
21. Shao, J., Li, J., Weng, L., Cheng, K., Weng, W., Sun, Q., Wu, M., & Lin, J. (2023). Remote Activation of M2 Macrophage Polarization via Magneto-Mechanical Stimulation To Promote Osteointegration. *ACS Biomaterials Science & Engineering*, 9(5), 2483–2494. <https://doi.org/10.1021/acsbiomaterials.3c00080>
22. Sheppe, A. E. F., Kummari, E., Walker, A., Richards, A., Hui, W. W., Lee, J. H., Mangum, L., Borazjani, A., Ross, M. K., & Edelmann, M. J. (2018). PGE2 Augments Inflammasome Activation and M1 Polarization in Macrophages Infected With

- Salmonella Typhimurium and Yersinia enterocolitica. *Frontiers in microbiology*, 9, 2447. <https://doi.org/10.3389/fmicb.2018.02447>
23. Song, M. Y., Wang, J., Lee, Y., Lee, J., Kwon, K. S., Bae, E. J., & Park, B. H. (2016). Enhanced M2 macrophage polarization in high n-3 polyunsaturated fatty acid transgenic mice fed a high-fat diet. *Molecular nutrition & food research*, 60(11), 2481–2492. <https://doi.org/10.1002/mnfr.201600014>
 24. Stunault, M. I., Bories, G., Guinamard, R. R., & Ivanov, S. (2018). Metabolism Plays a Key Role during Macrophage Activation. *Mediators of inflammation*, 2018, 2426138. <https://doi.org/10.1155/2018/2426138>
 25. Sun, Y., Zuo, Z., & Kuang, Y. (2020). An Emerging Target in the Battle against Osteoarthritis: Macrophage Polarization. *International journal of molecular sciences*, 21(22), 8513. <https://doi.org/10.3390/ijms21228513>
 26. Wang, W., Liu, H., Liu, T., Yang, H., & He, F. (2022). Insights into the Role of Macrophage Polarization in the Pathogenesis of Osteoporosis. *Oxidative medicine and cellular longevity*, 2022, 2485959. <https://doi.org/10.1155/2022/2485959>
 27. Wei, Y., Chen, J., Cai, G. E., Lu, W., Xu, W., Wang, R., Lin, Y., & Yang, C. (2021). Rosmarinic Acid Regulates Microglial M1/M2 Polarization via the PDPK1/Akt/HIF Pathway Under Conditions of Neuroinflammation. *Inflammation*, 44(1), 129–147. <https://doi.org/10.1007/s10753-020-01314-w>
 28. Williams, J. A., & Shacter, E. (1997). Regulation of macrophage cytokine production by prostaglandin E2. Distinct roles of cyclooxygenase-1 and -2. *The Journal of biological chemistry*, 272(41), 25693–25699. <https://doi.org/10.1074/jbc.272.41.25693>
 29. Wolska, J. & Janda-Milczarek, Katarzyna & Szkyrpan, S. & Gutowska, Izabela. (2015). The influence of stinging nettle (*Urtica dioica* L.) extracts on the activity of catalase in THP1 monocytes/macrophages. 61. 315-318.
 30. Vincent, T. L., McClurg, O., & Troeberg, L. (2022). The Extracellular Matrix of Articular Cartilage Controls the Bioavailability of Pericellular Matrix-Bound Growth Factors to Drive Tissue Homeostasis and Repair. *International journal of molecular sciences*, 23(11), 6003. <https://doi.org/10.3390/ijms23116003>
 31. Xia, Y., Chen, S., Zeng, S., Zhao, Y., Zhu, C., Deng, B., Zhu, G., Yin, Y., Wang, W., Hardeland, R., & Ren, W. (2019). Melatonin in macrophage biology: Current understanding and future perspectives. *Journal of pineal research*, 66(2), e12547. <https://doi.org/10.1111/jpi.12547>
 32. Xu, M., Wang, X., Li, Y., Geng, X., Jia, X., Zhang, L., & Yang, H. (2021). Arachidonic Acid Metabolism Controls Macrophage Alternative Activation Through Regulating Oxidative Phosphorylation in PPAR γ Dependent Manner. *Frontiers in immunology*, 12, 618501. <https://doi.org/10.3389/fimmu.2021.618501>
 33. Yao, Y., Xu, X.-H., & Jin, L. (2019). Macrophage polarization in physiological and pathological pregnancy. *Frontiers in Immunology*, 10. <https://doi.org/10.3389/fimmu.2019.00792>

Knorpelregeneration

1. Alsalameh S, Amin R, Gemba T, Lotz M. Identification of mesenchymal progenitor cells in normal and osteoarthritic human articular cartilage. *Arthritis Rheum*. 2004;50:1522–1532.

2. Barbero A, Ploegert S, Heberer M, Martin I. Plasticity of clonal populations of dedifferentiated adult human articular chondrocytes. *Arthritis Rheum.* 2003;48:1315–1325.
3. Elsaid KA, Jay GD, Warman ML, Rhee DK, Chichester CO. (2015). Association of articular cartilage degradation and loss of boundary-lubricating ability of synovial fluid following injury and inflammatory arthritis. *Arthritis Rheum.*52:1746–1755.
4. Fickert S, Fiedler J, Brenner RE. (2004). Identification of subpopulations with characteristics of mesenchymal progenitor cells from human osteoarthritic cartilage using triple staining for cell surface markers. *Arthritis Res Ther.* 2004;6:R422–R432.
5. Flannery CR, et al. (2009). Prevention of cartilage degeneration in a rat model of osteoarthritis by intraarticular treatment with recombinant lubricin. *Arthritis Rheum.* 60:840–847
6. Gleghorn JP, Jones AR, Flannery CR, Bonassar LJ. (2009). Boundary mode lubrication of articular cartilage by recombinant human lubricin. *J Orthop Res.*27:771–777.
7. Grogan SP, et al. (2013). Zone-specific gene expression patterns in articular cartilage. *Arthritis Rheum.* 65:418–428.
8. Grogan SP, Miyaki S, Asahara H, D’Lima DD, Lotz MK. Mesenchymal progenitor cell markers in human articular cartilage: normal distribution and changes in osteoarthritis. *Arthritis Res Ther.* 2009;11:R85.
9. Hiraoka K, Grogan S, Olee T, Lotz M. Mesenchymal progenitor cells in adult human articular cartilage. *Biorheology.* 2006;43:447–454.
10. Jiang Y, Tong T, Heng B, Ouyang H. (2012).Cartilage injuries: role of implantation of human stem/progenitor cells. In: Hayat MA, editor. *Stem Cells and Cancer Stem Cells.* Vol. 3. Springer; pp. 327–333.
11. Jiang, Y. u.a. (2016): Human Cartilage-Derived Progenitor Cells from comitted Chondrocytes for efficient Cartilage Repair and Regeneration. *Stem Cells Translational Medicine* 5(6):733-744.
12. Jiang, Y., & Tuan, R. S. (2015). Origin and function of cartilage stem/progenitor cells in osteoarthritis. *Nature Reviews. Rheumatology*, 11(4), 206–212. <http://doi.org/10.1038/nrrheum.2014.200>
13. Koelling S, et al. (2009). Migratory chondrogenic progenitor cells from repair tissue during the later stages of human osteoarthritis. *Cell Stem Cell.* 2009;4:324–335.
14. Mirzamohammadi, F., Papaioannou, G., & Kobayashi, T. (2014). MicroRNAs in cartilage development, homeostasis, and disease. *Current osteoporosis reports*, 12(4), 410–419. <https://doi.org/10.1007/s11914-014-0229-9>
15. Ohnishi H, et al. (1982). Evidence for “response to injury” hypothesis. *Life Sci.*31:2595–2602.
16. Quintin A, et al. (2010).Plasticity of fetal cartilaginous cells. *Cell Transplant.* 19:1349–1357.
17. Rhee DK, et al. (2015). The secreted glycoprotein lubricin protects cartilage surfaces and inhibits synovial cell overgrowth. *J Clin Invest.*115:622–631.
18. Schnabel M, et al. (2002). Dedifferentiation-associated changes in morphology and gene expression in primary human articular chondrocytes in cell culture. *Osteoarthritis Cartilage.* 2002;10:62– 70.
19. Seol D, et al. (2012). Chondrogenic progenitor cells respond to cartilage injury. *Arthritis Rheum.* 2012;64:3626–3637.

20. Simon C. Mastbergen et al.(2011). „Tissue structure modification in knee osteoarthritis by use of joint distraction: an open 1-year pilot study.“ In: *Annals of the Rheumatic Diseases* 70 S. 1441-1446.
21. Simon C. Mastbergen. (2016). „Six weeks of continuous joint distraction appears sufficient for clinical benefit and cartilaginous tissue repair in the treatment of knee osteoarthritis.“ In: *The Knee* 23 S. 785–791
22. Waller KA, et al. (2013). Role of lubricin and boundary lubrication in the prevention of chondrocyte apoptosis. *Proc Natl Acad Sci USA*.110:5852–5857.
23. Williams R, et al. (2010). Identification and clonal characterisation of a progenitor cell sub-population in normal human articular cartilage. *PLoS ONE*. 5:e13246.

Mesenchymale Stammzellen für Knorpelregeneration

1. Almalki, S. G., & Agrawal, D. K. (2016). Effects of matrix metalloproteinases on the fate of mesenchymal stem cells. *Stem cell research & therapy*, 7(1), 129. <https://doi.org/10.1186/s13287-016-0393-1>
2. Cho, G.H., Bae, H.C., Cho, W.Y. et al. (2023). High-glutathione mesenchymal stem cells isolated using the FreSHtracer probe enhance cartilage regeneration in a rabbit chondral defect model. *Biomater Res* 27, 54. <https://doi.org/10.1186/s40824-023-00398-3>
3. Choudhery M. S. (2021). Strategies to improve regenerative potential of mesenchymal stem cells. *World journal of stem cells*, 13(12), 1845–1862. <https://doi.org/10.4252/wjsc.v13.i12.1845>
4. Conger, K. (2018). Researchers identify protein essential for making stem cells. *Stanford Medicine*. <https://med.stanford.edu/news/all-news/2018/07/researchers-identify-protein-essential-for-making-stem-cells.html>
5. Hilgendorf, K. I., Johnson, C. T., Mezger, A., Rice, S. L., Norris, A. M., Demeter, J., Greenleaf, W. J., Reiter, J. F., Kopinke, D., & Jackson, P. K. (2019). Omega-3 Fatty Acids Activate Ciliary FFAR4 to Control Adipogenesis. *Cell*, 179(6), 1289–1305.e21. <https://doi.org/10.1016/j.cell.2019.11.005>
6. Hou, Q., Dong, Y., Huang, J., Liao, C., Lei, J., Wang, Y., Lai, Y., Bian, Y., He, Y., Sun, J., Sun, M., Jiang, Q., Wang, B., Yu, Z., Guo, Y., & Zhang, B. (2020). Exogenous L-arginine increases intestinal stem cell function through CD90+ stromal cells producing mTORC1-induced Wnt2b. *Communications biology*, 3(1), 611. <https://doi.org/10.1038/s42003-020-01347-9>
7. Huh, J. E., Choi, J. Y., Shin, Y. O., Park, D. S., Kang, J. W., Nam, D., Choi, D. Y., & Lee, J. D. (2014). Arginine enhances osteoblastogenesis and inhibits adipogenesis through the regulation of Wnt and NFATc signaling in human mesenchymal stem cells. *International journal of molecular sciences*, 15(7), 13010–13029. <https://doi.org/10.3390/ijms150713010>
8. Kalamegam, G., Memic, A., Budd, E., Abbas, M., & Mobasher, A. (2018). A Comprehensive Review of Stem Cells for Cartilage Regeneration in Osteoarthritis. *Advances in experimental medicine and biology*, 1089, 23–36. https://doi.org/10.1007/5584_2018_205
9. Kulesza, A., Paczek, L., & Burdzinska, A. (2023). The Role of COX-2 and PGE2 in the Regulation of Immunomodulation and Other Functions of Mesenchymal Stromal Cells. *Biomedicines*, 11(2), 445. <https://doi.org/10.3390/biomedicines11020445>

10. Lu, C., Li, X. Y., Hu, Y., Rowe, R. G., & Weiss, S. J. (2010). MT1-MMP controls human mesenchymal stem cell trafficking and differentiation. *Blood*, 115(2), 221–229. <https://doi.org/10.1182/blood-2009-06-228494>
11. Lu, D., Xu, Y., Liu, Q., & Zhang, Q. (2021). Mesenchymal Stem Cell-Macrophage Crosstalk and Maintenance of Inflammatory Microenvironment Homeostasis. *Frontiers in cell and developmental biology*, 9, 681171. <https://doi.org/10.3389/fcell.2021.681171>
12. Lu, L. Y., Loi, F., Nathan, K., Lin, T. H., Pajarinen, J., Gibon, E., Nabeshima, A., Cordova, L., Jämsen, E., Yao, Z., & Goodman, S. B. (2017). Pro-inflammatory M1 macrophages promote Osteogenesis by mesenchymal stem cells via the COX-2-prostaglandin E2 pathway. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society*, 35(11), 2378–2385. <https://doi.org/10.1002/jor.23553>
13. Luque-Campos, N., Bustamante-Barrientos, F. A., Pradenas, C., García, C., Araya, M. J., Bohaud, C., Contreras-López, R., Elizondo-Vega, R., Djouad, F., Luz-Crawford, P., & Vega-Letter, A. M. (2021). The Macrophage Response Is Driven by Mesenchymal Stem Cell-Mediated Metabolic Reprogramming. *Frontiers in immunology*, 12, 624746. <https://doi.org/10.3389/fimmu.2021.624746>
14. Mnatsakanyan, H., Sabater I Serra, R., Salmeron-Sanchez, M., & Rico, P. (2019). Zinc Maintains Embryonic Stem Cell Pluripotency and Multilineage Differentiation Potential via AKT Activation. *Frontiers in cell and developmental biology*, 7, 180. <https://doi.org/10.3389/fcell.2019.00180>
15. Ning, K., Liu, S., Yang, B., Wang, R., Man, G., Wang, D. E., & Xu, H. (2022). Update on the effects of energy metabolism in bone marrow mesenchymal stem cells differentiation. *Molecular metabolism*, 58, 101450. <https://doi.org/10.1016/j.molmet.2022.101450>
16. Posa, F., Di Benedetto, A., Cavalcanti-Adam, E. A., Colaianni, G., Porro, C., Trotta, T., Brunetti, G., Lo Muzio, L., Grano, M., & Mori, G. (2018). Vitamin D Promotes MSC Osteogenic Differentiation Stimulating Cell Adhesion and α V β 3 Expression. *Stem cells international*, 2018, 6958713. <https://doi.org/10.1155/2018/6958713>
17. Puca, F., Fedele, M., Rasio, D., & Battista, S. (2022). Role of Diet in Stem and Cancer Stem Cells. *International journal of molecular sciences*, 23(15), 8108. <https://doi.org/10.3390/ijms23158108>
18. Rackwitz, Lars; Pullig, Oliver; Nöth, Ulrich (2020). Arthroseprävention und mögliche zukünftige Ansätze der Arthrosetherapie – Sicht der Orthopädie und Unfallchirurgie. *Aktuelle Rheumatologie*, (), a-1036-4100–. doi:10.1055/a-1036-410
19. Zhang, Shuai; Lam, Kargo Kar Ho; Wan, Jack Hei; Yip, Chun Wang; Liu, Harry Kwun-Hung; Lau, Queenie Ming-Ngai; Man, Alice Hei-Yi; Cheung, Chun-Hei; Wong, Lik Hang; Chen, Hu Biao; Shi, Jun; Leung, George Par-Heng; Lee, Calvin Kai-Fai; Shi, Yi-Gang; Tang, Sydney Chi-Wai; Zhang, Kalin Yan Bo (2020). Dietary phytochemical approaches to stem cell regulation. *Journal of Functional Foods*, 66(), 103822–. doi:10.1016/j.jff.2020.103822
20. Zhou, T., Yang, Y., Chen, Q., & Xie, L. (2019). Glutamine Metabolism Is Essential for Stemness of Bone Marrow Mesenchymal Stem Cells and Bone Homeostasis. *Stem cells international*, 2019, 8928934. <https://doi.org/10.1155/2019/8928934>

Entzündungssenkende Ernährung

1. Biesiekierski, J. R et al. (2011): Gluten Causes Gastrointestinal Symptoms in Subjects Without Celiac Disease: A DoubleBlind Randomized Placebo Controlled Trial. *Am J Gastroenterol*, 106 (3), 508–514.
2. Broughton, K. S. et al. (2011): Prostaglandin E2 production in mice is reduced by consumption of rangedef sources of red meat. *Nutrition Research*, 31(12), 907–914.
3. Calder, P. C., & Yaqoob, P. (1999): Glutamine and the immune system. *Amino Acids*, 17(3), 227– 241.
4. Cordain, L. et al. (2000): Modulation of immune function by dietary lectins in rheumatoid arthritis. *British Journal of Nutrition*, 83 (03), 207–217.
5. DeSouza, D. A., & Greene, L. J. (2005): Intestinal permeability and systemic infections in critically ill patients: Effect of glutamine. *Critical Care Medicine*, 33 (5), 1125–1135.
6. Facchini, A. et al. (2011): Sulforaphane protects human chondrocytes against cell death induced by various stimuli. *J Cell Physiol*, 226(7), 1771– 1779. doi: 10.1002/jcp.22506.
7. Festa, A. et al. (2000): Chronic Subclinical Inflammation as Part of the Insulin Resistance Syndrome: The Insulin Resistance Atherosclerosis Study (IRAS). *Circulation*, 102 (1), 42–47.
8. Forsythe, C. et al (2008): Comparison of Low Fat and Low Carbohydrate Diets on Circulating Fatty Acid Composition and Markers of Inflammation. *Lipids*, 43 (1), 65–77.
9. Galvao, R. et al. (2012): Effects of different degrees of insulin sensitivity on endothelial function in obese patients. *Arq Bras Cardiol*, 98 (1), 45–51.
10. Guadagni, M., & Biolo, G. (2009): Effects of inflammation and/or inactivity on the need for dietary protein. *Current Opinion in Clinical Nutrition & Metabolic Care*, 12 (6), 617–622.
11. Guarner, F., & Malagelada, J.R. (2003): Gut flora in health and disease. *The Lancet*, 361(9356), 512– 519.
12. Kim, J. Y. et al. (2012): Sulforaphane suppresses vascular adhesion molecule1 expression in TNFalpha stimulated mouse vascular smooth muscle cells: Involvement of the MAPK, NFkappaB and AP1 signaling pathways. *Vascul Pharmacol*, 56(3–4), 131–141.
13. Küllenberg de Gaudry, D., Lohner, S., Schmucker, C., Kapp, P., Motschall, E., Hörrlein, S., Röger, C., & Meerpohl, J. J. (2019). Milk A1 β -casein and health-related outcomes in humans: a systematic review. *Nutrition reviews*, 77(5), 278–306. <https://doi.org/10.1093/nutrit/nuy063>
14. Lampert, R. et al. (2008): Decreased heart rate variability is associated with higher levels of inflammation in middleaged men. *American heart journal*, 156 (4), 759.
15. Lev-Ran, A. (1998): Mitogenic factors accelerate laterage diseases: insulin as a paradigm. *Mechanisms of Ageing and Development*, 102(1), 95–113
16. Martínez, B. et al. (2010): Differentiation of Farmed and Wild Turbot (*Psetta maxima*): Proximate Chemical Composition, Fatty Acid Profile, Trace Minerals and Antimicrobial Resistance of Contaminant Bacteria. *Food Science and Technology International*, 16 (5), 435–441.
17. Pellegrina, C. D. et al. (2009): Effects of wheat germ agglutinin on human gastrointestinal epithelium: Insights from an experimental model of immune/epithelial cell interaction. *Toxicology and Applied Pharmacology*, 237 (2), 146–153.

18. Peumans, W. J. and Van Damme, E. J. M. (1996): „Prevalence, biological activity and genetic manipulation of lectins in foods.“ *Trends in Food Science and Technology* 7(4): 132–138.
19. Prior, Ronald L. (2014). Oxygen radical absorbance capacity (ORAC): New horizons in relating dietary antioxidants/bioactives and health benefits. *Journal of Functional Foods*, (), S1756464614003971–. doi:10.1016/j.jff.2014.12.018
20. Pusztai, A. et al. (1993): Antinutritive effects of wheat-germ agglutinin and other N-acetylglucosamine-specific lectins. *British Journal of Nutrition*, 70 (01), 313–321.
21. Rall, L. C. et al. (1996): Protein metabolism in rheumatoid arthritis and aging. Effects of muscle strength training and tumor necrosis factor α . *Arthritis & Rheumatism*, 39 (7), 1115–1124.
22. Rule, D. C. et al. (2002): Comparison of muscle fatty acid profiles and cholesterol concentrations of bison, beef cattle, elk, and chicken. *Journal of Animal Science*, 80 (5), 1202–1211.
23. Ryva, B., Zhang, K., Asthana, A., Wong, D., Vicioso, Y., & Parameswaran, R. (2019). Wheat Germ Agglutinin as a Potential Therapeutic Agent for Leukemia. *Frontiers in oncology*, 9, 100. <https://doi.org/10.3389/fonc.2019.00100>
24. Weickert, M. O. (2012): What dietary modification best improves insulin sensitivity and why? *Clin Endocrinol (Oxf)*. doi: 10.1111/j.1365 2265.2012.04450
25. Werz, O. (2023, March 8). Neue Strategien der Entzündungstherapie. *sportärztezeitung*. <https://sportaerztezeitung.com/rubriken/ernaehrung/13552/neue-strategien-der-entzuendungstherapie/>

Fettsäuren

1. Adam, O. et al. (1986): Effects of alpha linolenic acid in human diet on linoleic acid metabolism and prostaglandin biosynthesis. *J. Lip. Res* 27; 421–426.
2. Adam, O. (1994): Entzündungshemmende Ernährung bei rheumatischen Erkrankungen. *Ernährungsumschau* 41, 222–225.
3. Alonso-Castro, A. J., Serrano-Vega, R., Pérez Gutiérrez, S., Isiordia-Espinoza, M. A., & Solorio- Alvarado, C. R. (2022). Myristic acid reduces skin inflammation and nociception. *Journal of food biochemistry*, 46(1), e14013. <https://doi.org/10.1111/jfbc.14013>
4. Blok, W. et al. (1996): Modulation of Inflammation and Cytokine Production by Dietary (n3) Fatty Acids. *Critical Review.J.Nutr.* 126: 1515–1533.
5. Buey, Berta, Ana Forcén, Laura Grasa, Elena Layunta, Jose Emilio Mesonero, and Eva Latorre. 2023. "Gut Microbiota-Derived Short-Chain Fatty Acids: Novel Regulators of Intestinal Serotonin Transporter" *Life* 13, no. 5: 1085. <https://doi.org/10.3390/life13051085>
6. Calder, P. C. & Zurier, R. B. (2001): Polyunsaturated fatty acids and rheumatoid arthritis. *Current Opinion in Clinical Nutrition & Metabolic Care*, 4(2), 115–121.
7. Chimhashu, T., Malan, L., Baumgartner, J., van Jaarsveld, P. J., Galetti, V., Moretti, D., Smuts, C. M., & Zimmermann, M. B. (2018). Sensitivity of fatty acid desaturation and elongation to plasma zinc concentration: a randomised controlled trial in Beninese children. *The British journal of nutrition*, 119(6), 610–619. <https://doi.org/10.1017/S000711451700366X>

8. Harper, C. R., Edwards, M. J., DeFilippis, A. P., & Jacobson, T. A. (2006). Flaxseed oil increases the plasma concentrations of cardioprotective (n-3) fatty acids in humans. *The Journal of nutrition*, 136(1), 83–87. <https://doi.org/10.1093/jn/136.1.83>
9. Henry, G. E., Momin, R. A., Nair, M. G., & Dewitt, D. L. (2002). Antioxidant and cyclooxygenase activities of fatty acids found in food. *Journal of agricultural and food chemistry*, 50(8), 2231– 2234. <https://doi.org/10.1021/jf0114381>
10. Hesslink, R., Jr, Armstrong, D., 3rd, Nagendran, M. V., Sreevatsan, S., & Barathur, R. (2002). Cetylated fatty acids improve knee function in patients with osteoarthritis. *The Journal of rheumatology*, 29(8), 1708–1712.
11. James, M.J., Cleland L.G. (1996): Eicosanoids and cytokines in inflammation – effects of dietary fatty acids. International Conference on highly unsaturated fatty acids in nutrition and disease prevention. Barcelona November 1996.
12. Lordan, R., & Zabetakis, I. (2017). Invited review: The anti-inflammatory properties of dairy lipids. *Journal of dairy science*, 100(6), 4197–4212. <https://doi.org/10.3168/jds.2016-12224>
13. Kalogeropoulos, N. et al. (2010): Unsaturated fatty acids are inversely associated and n6/n3 ratios are positively related to inflammation and coagulation markers in plasma of apparently healthy adults. *Clinica Chimica Acta*, 411(7–8), 584–591.
14. Kim, K. B. et al. (2014). α -Linolenic acid: nutraceutical, pharmacological and toxicological evaluation. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*, 70, 163–178. <https://doi.org/10.1016/j.fct.2014.05.009>
15. Konopelski, P., & Mogilnicka, I. (2022). Biological Effects of Indole-3-Propionic Acid, a Gut Microbiota- Derived Metabolite, and Its Precursor Tryptophan in Mammals' Health and Disease. *International journal of molecular sciences*, 23(3), 1222. <https://doi.org/10.3390/ijms23031222>
16. Kremer, J.M. et al. (1985): Effects of manipulation of dietary fatty acids on clinical manifestations of rheumatoid arthritis. *Lancet*, 184–187.
17. Levin, G., Duffin, K. L., Obukowicz, M. G., Hummert, S. L., Fujiwara, H., Needleman, P., & Raz, A. (2002). Differential metabolism of dihomo-gamma-linolenic acid and arachidonic acid by cyclo-oxygenase-1 and cyclo-oxygenase-2: implications for cellular synthesis of prostaglandin E1 and prostaglandin E2. *The Biochemical journal*, 365(Pt 2), 489–496. <https://doi.org/10.1042/BJ20011798>
18. Mnatsakanyan, H., Sabater I Serra, R., Salmeron-Sanchez, M., & Rico, P. (2019). Zinc Maintains Embryonic Stem Cell Pluripotency and Multilineage Differentiation Potential via AKT Activation. *Frontiers in cell and developmental biology*, 7, 180. <https://doi.org/10.3389/fcell.2019.00180>
19. Morshedzadeh, N et al. (2019). Effects of flaxseed and flaxseed oil supplement on serum levels of inflammatory markers, metabolic parameters and severity of disease in patients with ulcerative colitis. *Complementary therapies in medicine*, 46, 36–43. <https://doi.org/10.1016/j.ctim.2019.07.012>
20. Prasath, K. G., Alexpandi, R., Parasuraman, R., Pavithra, M., Ravi, A. V., & Pandian, S. K. (2021). Anti- inflammatory potential of myristic acid and palmitic acid synergism against systemic candidiasis in *Danio rerio* (Zebrafish). *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 133, 111043. <https://doi.org/10.1016/j.biopha.2020.111043>
21. Pipoyan, D., Stepanyan, S., Stepanyan, S., Beglaryan, M., Costantini, L., Molinari, R., & Merendino, N. (2021). The Effect of Trans Fatty Acids on Human Health:

- Regulation and Consumption Patterns. *Foods* (Basel, Switzerland), 10(10), 2452. <https://doi.org/10.3390/foods10102452>
22. Prasad, P., Anjali, P., & Sreedhar, R. V. (2021). Plant-based stearidonic acid as sustainable source of omega-3 fatty acid with functional outcomes on human health. *Critical reviews in food science and nutrition*, 61(10), 1725–1737. <https://doi.org/10.1080/10408398.2020.1765137>
 23. Raygan, F. et al. (2019). A comparison between the effects of flaxseed oil and fish oil supplementation on cardiovascular health in type 2 diabetic patients with coronary heart disease: A randomized, double-blinded, placebo-controlled trial. *Phytotherapy research : PTR*, 33(7), 1943–1951. <https://doi.org/10.1002/ptr.6393>
 24. Reed S, Qin X, Ran-Ressler R, Brenna JT, Glahn RP, Tako E. Dietary Zinc Deficiency Affects Blood Linoleic Acid: Dihomo- γ -linolenic Acid (LA:DGLA) Ratio; a Sensitive Physiological Marker of Zinc Status in Vivo (*Gallus gallus*). *Nutrients*. 2014; 6(3):1164-1180. <https://doi.org/10.3390/nu6031164>
 25. Rösler, D. et al. (2020). Enzyminduktion der Delta-6-Desaturase zur Optimierung der EPA- und DHA- Konversion. *OM & Ernährung*, 170, 46-51.
 26. Song, C. et al. (2003): Effects of dietary n3 or n6 fatty acids on interleukin1 β induced anxiety, stress, and inflammatory responses in rats. *Journal of Lipid Research*, 44(10), 1984–1991.
 27. Xiao, B. et al. (2022). Eicosapentaenoic acid (EPA) exhibits antioxidant activity via mitochondrial modulation. *Food chemistry*, 373(Pt A), 131389. <https://doi.org/10.1016/j.foodchem.2021.131389>

Aminosäuren

1. Di Padova C. (1987). SAME in the treatment of osteoarthritis. Review of the clinical studies, *AM J. Med.*, 83(5A):60-5.
2. Ji, J., Xu, Y., Zheng, M., Luo, C., Lei, H., Qu, H., & Shu, D. (2019). Methionine Attenuates Lipopolysaccharide-Induced Inflammatory Responses via DNA Methylation in Macrophages. *ACS omega*, 4(1), 2331–2336. <https://doi.org/10.1021/acsomega.8b03571>
3. König B. (1987). A long term (two years) clinical trial with SAME for the treatment of osteoarthritis, *AM J. Med*; 83(5A):89-94.
4. Maccagno A. et al. (1987). Double-blind controlled clinical trial of oral SAME versus piroxicam in knee osteoarthritis, *AM J. Med*; 83(5A): 66-71.
5. Sutjiati, E., Kusworini, Wirjatmadi, B., & Kalim, H. (2018). Effect of low methionine formula on levels of il-1 β serum and il-1 β gene expression in knee joint cartilage tissues of normal rabbits and ACL induction OA models. *Indian Journal of Public Health Research & Development*, 9(10), 549. <https://doi.org/10.5958/0976-5506.2018.01403.1>

Kollagenhydrolysat

1. Adam, M. (1991): Welche Wirkung haben Gelatinepräparate; *Therapiewoche* 41, 2456–2461.
2. Alcock, R. D., Shaw, G. C., Tee, N., & Burke, L. M. (2019). Plasma amino acid concentrations after the ingestion of dairy and collagen proteins, in healthy active males. *Frontiers in Nutrition*, 6. <https://doi.org/10.3389/fnut.2019.00163>

3. Clark, K. L., Sebastianelli, W., Flechsenhar, K. R., Aukermann, D. F., Meza, F., Millard, R. L., Deitch, J. R., Sherbondy, P. S., & Albert, A. (2008). 24-week study on the use of collagen hydrolysate as a dietary supplement in athletes with activity-related joint pain. *Current Medical Research and Opinion*, 24(5), 1485–1496. <https://doi.org/10.1185/030079908x291967>
4. Clifford, T., Ventress, M., Allerton, D. M., Stansfield, S., Tang, J. C., Fraser, W. D., Vanhoecke, B., Prawitt, J., & Stevenson, E. (2019). The effects of collagen peptides on muscle damage, inflammation and bone turnover following exercise: A randomized, controlled trial. *Amino Acids*, 51(4), 691–704. <https://doi.org/10.1007/s00726-019-02706-5>
5. Dar, Q.-A., Schott, E. M., Catheline, S. E., Maynard, R. D., Liu, Z., Kamal, F., Farnsworth, C. W., Ketz, J. P., Mooney, R. A., Hilton, M. J., Jonason, J. H., Prawitt, J., & Zuscik, M. J. (2017). Daily oral consumption of hydrolyzed type 1 collagen is chondroprotective and anti-inflammatory in murine posttraumatic osteoarthritis. *PLOS ONE*, 12(4). <https://doi.org/10.1371/journal.pone.0174705>
6. Gupta, R. C., Canerdy, T. D., Skaggs, P., Stocker, A., Zyrkowski, G., Burke, R., Wegford, K., Goad, J. T., Rohde, K., Barnett, D., DeWees, W., Bagchi, M., & Bagchi, D. (2009). Therapeutic efficacy of undenatured type-II collagen (UC-II) in comparison to glucosamine and chondroitin in arthritic horses. *Journal of veterinary pharmacology and therapeutics*, 32(6), 577–584. <https://doi.org/10.1111/j.1365-2885.2009.01079.x>
7. Jiang J.X. et al., 2014. Collagen peptides improve knee osteoarthritis in elderly women: A 6-month randomized, double-blind, placebo-controlled study. *Agro FOOD Industry Hi Tech*, 25:19-23
8. Kleinnijenhuis, A. J., van Holthoon, F. L., Maathuis, A. J. H., Vanhoecke, B., Prawitt, J., Wauquier, F., & Wittrant, Y. (2019). Non-targeted and targeted analysis of collagen hydrolysates during the course of digestion and absorption. *Analytical and Bioanalytical Chemistry*, 412(4), 973–982. <https://doi.org/10.1007/s00216-019-02323-x>
9. König, D., Oesser, S., Scharla, S., Zdzieblik, D., & Gollhofer, A. (2018). Specific collagen peptides improve bone mineral density and bone markers in postmenopausal women—a randomized controlled study. *Nutrients*, 10(1), 97. <https://doi.org/10.3390/nu10010097>
10. Moskowitz, R. W. (2000): Role of collagen hydrolysate in bone and joint disease. *Seminars in arthritis and Rheumatism* 30; 87–99
11. NAGAOKA, I., NABESHIMA, K. U., MURAKAMI, S., YAMAMOTO, T., WATANABE, K., TOMONAGA, A. K., & YAMAGUCHI, H. (2010). Evaluation of the effects of a supplementary diet containing chicken comb extract on symptoms and cartilage metabolism in patients with knee osteoarthritis. *Experimental and Therapeutic Medicine*, 1(5), 817–827. <https://doi.org/10.3892/etm.2010.114>
12. Oesser, S. et al. (1999): Oral administration of 14 C labeled gelatin hydrolysate leads to accumulation of radioactivity in cartilage of mice (C57/BL). *J Nutr* 129: 1891–1895.
13. Oesser, S. et al. (2003): Stimulation of type II collagen biosynthesis and secretion in bovine chondrocytes cultured with degraded collagen. *Cell Tiss Res* 311: 393–399
14. Paul, C., Leser, S., & Oesser, S. (2019). Significant amounts of functional collagen peptides can be incorporated in the diet while maintaining indispensable amino acid balance. *Nutrients*, 11(5), 1079. <https://doi.org/10.3390/nu11051079>

15. Rippe, J. et al. (2006): The effectiveness of collagen hydrolysate supplementation treatment in individuals with symptoms of mild osteoarthritis; Vortrag auf dem Deutschen Kongress für Orthopädie und Unfallchirurgie 2006.
16. Schauss, A. G., Stenehjem, J., Park, J., Endres, J. R., & Clewell, A. (2012). Effect of the novel low molecular weight hydrolyzed chicken sternal cartilage extract, biocell collagen, on improving osteoarthritis-related symptoms: A randomized, double-blind, placebo-controlled trial. *Journal of Agricultural and Food Chemistry*, 60(16), 4096–4101. <https://doi.org/10.1021/jf205295u>
17. Skov, K., Oxfeldt, M., Thøgersen, R., Hansen, M., & Bertram, H. C. (2019). Enzymatic hydrolysis of a collagen hydrolysate enhances postprandial absorption rate—a randomized controlled trial. *Nutrients*, 11(5), 1064. <https://doi.org/10.3390/nu11051064>
18. Weh, L. (2001): Changes in the properties of tissue through the administration of gelatine: *extracta orthopaedica* 4; 12–16.
19. Zuckley, L. et al. (2004). Collagen Hydrolysate Improves Joint Function in Adults with Mild Symptoms of Osteoarthritis of the Knee. *Medicine & Science in Sports & Exercise*, 36(5), 153–154.

Hyaluronsäure

1. Jensen, G. S., Attridge, V. L., Lenninger, M. R., & Benson, K. F. (2015). Oral intake of a liquid high-molecular-weight hyaluronan associated with relief of chronic pain and reduced use of pain medication: Results of a randomized, placebo-controlled double-blind pilot study. *Journal of Medicinal Food*, 18(1), 95–101. <https://doi.org/10.1089/jmf.2013.0174>
2. Nelson, F. R., Zvirbulis, R. A., Zonca, B., Li, K. W., Turner, S. M., Pasierb, M., Wilton, P., Martinez-Puig, D., & Wu, W. (2014). The effects of an oral preparation containing hyaluronic acid (Oralvisc®) on obese knee osteoarthritis patients determined by pain, function, bradykinin, leptin, inflammatory cytokines, and heavy water analyses. *Rheumatology International*, 35(1), 43–52. <https://doi.org/10.1007/s00296-014-3047-6>
3. Sánchez, J., Bonet, M. L., Keijer, J., van Schothorst, E. M., Mölller, I., Chetrit, C., Martinez-Puig, D., & Palou, A. (2014). Blood cells transcriptomics as source of potential biomarkers of articular health improvement: Effects of oral intake of a rooster combs extract rich in hyaluronic acid. *Genes & Nutrition*, 9(5). <https://doi.org/10.1007/s12263-014-0417-3>
4. Tashiro, T., Seino, S., Sato, T., Matsuoka, R., Masuda, Y., & Fukui, N. (2012). Oral administration of polymer hyaluronic acid alleviates symptoms of knee osteoarthritis: A double-blind, placebo-controlled study over a 12-month period. *The Scientific World Journal*, 2012, 1–8. <https://doi.org/10.1100/2012/167928>

Glucosamin und Chondroitin

1. Bruyere, O. et al. (2004): Glucosamine sulfate reduces osteoarthritis progression in postmenopausal woman with knee osteoarthritis: evidence from two 3year studies. *Menopause*, 11 (2), 138–143.

2. Christgau, S. et al. (2004): Osteoarthritic patients with high cartilage turnover show increased responsiveness to the cartilage protecting effects of glucosamine sulphate. *Clin Exp Rheumatol*; 22(1):36–42.
3. Clegg, D.O. et al. (2005): The efficacy of glucosamine and chondroitin sulfate in patients with painful knee osteoarthritis: The Glucosamine/chondroitin Arthritis Intervention Trial (GAIT). Annual Scientific Meeting of the American College of Rheumatology, San Diego (CA), November 12–17, 2005.
4. Clegg, D. et al. (2006). Glucosamine, Chondroitin Sulfate, and the Two in Combination for Painful Knee Osteoarthritis. *New England Journal of Medicine*, 354 (8), 795–808.
5. Conrozier, T., & Lohse, T. (2022). Glucosamine as a Treatment for Osteoarthritis: What If It's True?. *Frontiers in pharmacology*, 13, 820971. <https://doi.org/10.3389/fphar.2022.820971>
6. Das, A., Hammad, T. (2000): Efficacy of a combination of glucosamine hydrochloride, low molecular weight sodium chondroitin sulfate and manganese ascorbate in the management of knee osteoarthritis. *Osteoarthritis Cartilage*, 24 (8): 343–50.
7. Deal, D., Moskowitz, R. (1999): Nutraceuticals as therapeutic agents in osteoarthritis. The role of glucosamine, chondroitin sulphate and collagen hydrolysate. *Rheumatic Disease Clinics of North America*, Vol. 25, Nr. 2; 379–394.
8. Jerosch J. (2011). Effects of Glucosamine and Chondroitin Sulfate on Cartilage Metabolism in OA: Outlook on Other Nutrient Partners Especially Omega-3 Fatty Acids. *International journal of rheumatology*, 2011, 969012. <https://doi.org/10.1155/2011/969012>
9. Kahan, A. et al. (2009): Long term effect of chondroitins 2 and 6 sulfat on knee osteoarthritis: radomized, double blind, placebocontrolled trial, *Arthritis Rheum*; 60(2): 254–33.
10. Leeb, B. et al. (1996): Results of a multicenter study of chondroitinsulfate use in arthrosis of the finger, knee and hip joints. *Wien Med. Wochenschr.*, 146 (24), 609–14.
11. Lukas, M. W. u.a. (2011): Chondroitinsulfate reduces both cartilage volume loss and bone marrow lesions in knee osteoarthritis patients starting as early as 6 months after initiation of therapy: a randomised, doubleblind, placebocontrolled pilot study using MRI. *Ann Rheum Dis.*; 70: 982989.
12. Moskowitz, R.W., Williams, H.J. (2006): Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *GAITStudy*. In: *New Engl J Med*. 354, Nr. 8, 795–808.
13. Pavelka, K. et al. (2002): Glucosamine sulfate use and delay of progression of knee osteoarthritis. A 3 year, randomized, placebocontrolled, doubleblind study. *Arch Intern Med*, 162 (18): 2113–23.
14. Qiu, G.X. et al. (1998): Efficacy and safety of glucosamine sulfate versus ibuprofen in patients with knee osteoarthritis. *Arzneimittelforschung* 48(5): 469–74.
15. Reginster J. Y. et al. (2001): Longterm effects of glucosamine sulphate on osteoarthritis progression. *Lancet*, 357, 251–256.
16. Richy, F. et al. (2003): Structural and symptomatic efficacy of glucosamine and chondroitin in knee osteoarthritis. A comprehensive metaanalysis. *Arch. Intern Med*. 14, 163 (13), 1514–1522.

17. Setnikar, I., Giachetti, C., & Zanolo, G. (1984). Absorption, distribution and excretion of radioactivity after a single intravenous or oral administration of [14C] glucosamine to the rat. *Pharmatherapeutica*, 3(8), 538–550.
18. Setnikar, I., & Rovati, L. C. (2001). Absorption, distribution, metabolism and excretion of glucosamine sulfate. A review. *Arzneimittel-Forschung*, 51(9), 699–725.
<https://doi.org/10.1055/s-0031-1300105>
19. Shankland, W.E. (1998): The effects of glucosamine and chondroitin sulfate on osteoarthritis of the TMJ: a preliminary report of 50 patients. *Cranio*;16(4):230–5.
20. Übelhardt, D. et al. (2004): Intermittent treatment of knee osteoarthritis with oral chondroitin sulphate: a one year randomized, doubleblind multicenter study versus placebo. *Osteoarthritis Cartilage*, 12 (4), 269–276.
21. Verbruggen, G. et al. (2002): Systems to assess the progression of finger joint osteoarthritis and the effects of disease modifying osteoarthritis drugs. *Clin Rheumatol*;21(3):231–43.
22. Wildi, L. M. et al. (2011): Chondroitin sulphate reduces both cartilage volume loss and bone marrow lesions in knee osteoarthritis patients starting as early as 6 months after initiation of therapy: a randomised, doubleblind, placebocontrolled pilot study using MRI. *Annals of the Rheumatic Diseases*. doi: 10.1136/ard.2010.140848
23. Zhu, X., Sang, L., Wu, D., Rong, J., & Jiang, L. (2018). Effectiveness and safety of glucosamine and chondroitin for the treatment of osteoarthritis: A meta-analysis of randomized controlled trials. *Journal of Orthopaedic Surgery and Research*, 13(1).
<https://doi.org/10.1186/s13018-018-0871-5>

Ackerschachtelhalm und Brennnessel

1. Aguayo-Morales H, Sierra-Rivera CA, Claudio-Rizo JA, Cobos-Puc LE. (2023). Horsetail (*Equisetum hyemale*) Extract Accelerates Wound Healing in Diabetic Rats by Modulating IL-10 and MCP-1 Release and Collagen Synthesis. *Pharmaceuticals*. 16(4):514. <https://doi.org/10.3390/ph16040514>
2. Carlisle, E. (1982): A silicon requirement for normal growth of cartilage in culture. *Fed. Proc.* 41, 461.
3. Carlisle, E. (1988): Silicium (Anmerkung: = Zentralatom von Kieselsäure) als essentielles Spurenelement. *VitaMinSpur* 3,3, 125 bis 132.
4. Grotheer, V., Goergens, M., Fuchs, P. C., Dunda, S., Pallua, N., Windolf, J., & Suschek, C. V. (2013). The performance of an orthosilicic acid-releasing silica gel fiber fleece in wound healing. *Biomaterials*, 34(30), 7314–7327.
<https://doi.org/10.1016/j.biomaterials.2013.06.012>
5. Gründemann, C., Lengen, K., Sauer, B., Garcia-Käufer, M., Zehl, M., & Huber, R. (2014). *Equisetum arvense* (common horsetail) modulates the function of inflammatory immunocompetent cells. *BMC complementary and alternative medicine*, 14, 283. <https://doi.org/10.1186/1472-6882-14-283>
6. Klingelhöfer, S, u.a. (1999): Antirheumatic effect of IDS 23, a stinging nettle leaf extract, on in vitro expression of T helper cytokines. *J Rheumatol*. 26(12):2517-22.
7. Schulze-Tanzil, G. u.a. (2002): Effects of the antirheumatic remedy hox alpha—a new stinging nettle leaf extract—on matrix metalloproteinases in human chondrocytes in vitro. *Histol Histopathol*. 17(2):477-85.
8. Randall, C. u.a. (2000): Randomized controlled trial of nettle sting for treatment of base-of-thumb- pain. *J R Soc Med*; 93; 305-09

9. Konrad, A. u.a. (2005): Ameliorative effect of IDS 30, a stinging nettle leaf extract, on chronic colitis International Journal of Colorectal Disease, 20,1, 9-17.
10. van Wyk, E.B. u.a. (2004): Handbuch der Arzneipflanzen, 2. Auflage, Wiss. Verlagsges. Stuttgart.
11. Fintelmann, V.; Weiss, R. (2006): Lehrbuch der Phytotherapie. 11. Auflage, Hippokrates Verlag.

Kräuter, Gewürze, Pflanzenstoffe

1. Abraham, K., Pfister, M., Wöhrlin, F., & Lampen, A. (2011). Relative bioavailability of coumarin from cinnamon and cinnamon-containing foods compared to isolated coumarin: a four-way crossover study in human volunteers. *Molecular nutrition & food research*, 55(4), 644–653. <https://doi.org/10.1002/mnfr.201000394>
2. Aggarwal, B.B., Shishodia, S. (2004): Suppression of the nuclear factor kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann. N. Y. Acad. Sci.* 1030, 434–441.
3. Ahmed, S. (2010): Green tea polyphenol epigallocatechin 3gallate in arthritis: progress and promise. *Arthritis Research & Therapy*, 12 (2), 208.
4. Ammon HPT, Mack T, Singh GB, Safayhi H. (1991). Inhibition of leukotriene B4 formation in rat peritoneal neutrophils by an ethanolic extract of the gum resin exudate of *Boswellia serrata*. *Planta Medica*;57:203-207
5. Altmann, R.D., Marcussen, K.C. (2001): Effects of Ginger extract on knee pain in patients with osteoarthritis. *Arthritis Rheum.*44(11):2531–2538. - Altern, J. (2005): Ginger extract components suppress induction of chemokine expression in human synoviocytes. *Complement Med.*; 11; (1); 149–154.
6. Bannoa N, Akihisa T, Yasukawa K et al. (2006). Anti-inflammatory activities of the triterpene acids from the resin of *Boswellia carteri*. *Journal of Ethnopharmacology*. 107:249-253
7. Belcaro, G. et al. (2008): Variations in Creactive protein, plasma free radicals and fibrinogen values in patients with osteoarthritis treated with Pycnogenol. *Redox Report*, 13, 271–276.
8. Beliveau, R., Gingras, D. (2009): Krebszellen mögen keine Himbeeren, Kösel-Verlag.
9. Cameron M, Chrubasik S. (2015). Oral herbal therapies for treating osteoarthritis. *Cochrane Database of Systematic Reviews*.5:CD002947, doi: 10.1002/14651858.CD002947.pub2
10. Caterina, M.J. et al. (1997): The capsaicin receptor: a heatactivated ion channel in the pain pathway. *Nature* 389: 816–824.
11. Chainani-Wu, N. (2003): Safety and anti-inflammatory activity of curcumin: A component of turmeric (*curcuma longa*), *Journal of Alternativ Complementary medicine*;9/1:161–168.
12. Chen, J. S. et al. (2012): Ginkgo biloba extract reduces highglucoseinduced endothelial adhesion by inhibiting the redoxdependent interleukin6 pathways. *Cardiovasc Diabetol*, 11 (1), 49.
13. Chrubasik, S. et al. (2003): The quality of clinical trials with *Harpagophytum procumbens*. *Phytomedicine* 2003;10, 613–623.
14. Chrubasik, S., Model, A., Black, A., & Pollak, S. (2003). A randomized double-blind pilot study comparing Doloteffin and Vioxx in the treatment of low back pain.

- Rheumatology (Oxford, England), 42(1), 141–148.
<https://doi.org/10.1093/rheumatology/keg053>
15. Chrubasik, S. et al. (2006): Evidence of effectiveness for rose hip and seed: A systematic review. *Phytotherapy Research*; 20: 1–3.
 16. Chun, O. K. et al. (2008): Serum CReactive Protein Concentrations Are Inversely Associated with Dietary Flavonoid Intake in U.S. Adults. *J. Nutr.*, 138 (4), 753–760.
 17. Frucht-Pery, J. et al. (1997): The use of capsaicin in herpes zoster ophthalmicus neuralgia. *Acta Ophthalmol Scand*; 5:311–13.
 18. Funk, J. et al. (2006): Efficacy and mechanism of action of turmeric supplements in the treatment of experimental arthritis. *Arthritis and rheumatism*; 54(11):3452–64.
 19. Grzanna, R. et al. (2005): Ginger – an herbal medicinal product with broad anti-inflammatory actions. *J Med Food*; 8 (2): 125–32.
 20. Huh, M.K. (2015). INHIBITORY EFFECT OF LIPOXYGENASE AND DPPH RADICAL SCAVENING ACTIVITY OF FRAXINUS RHYNCHOPHYLLA.
 21. Jackson, J K ; Higo, T ; Hunter, W L ; Burt, H M (2006): The antioxidants curcumin and quercetin inhibit inflammatory processes associated with arthritis.
 22. Javadi, F., Ahmadzadeh, A., Egtesadi, S., Aryaeian, N., Zabihyeganeh, M., Rahimi Foroushani, A., & Jazayeri, S. (2017). The Effect of Quercetin on Inflammatory Factors and Clinical Symptoms in Women with Rheumatoid Arthritis: A Double-Blind, Randomized Controlled Trial. *Journal of the American College of Nutrition*, 36(1), 9–15. <https://doi.org/10.1080/07315724.2016.1140093>
 23. Jenett-Siems, K. (2019, December 18). Das Potenzial von Weihrauch. *DAZ.online*. <https://www.deutsche-apotheker-zeitung.de/daz-az/2019/daz-51-2019/das-potenzial-von-weihrauch>
 24. Joe, B. et al. (1997): Presence of an acidic glycoprotein in the serum of arthritic rats: Modulation by capsaicin and curcumin. *Molecular and Cellular Biochemistry* 169: 125–134.
 25. Kang, J.Y. et al. (1995): Effect of capsaicin and chilli on ethanol induced gastric mucosal injury in the rat. *Gut* 36: 664–669.
 26. Kasper, H. (2004): *Ernährungsmedizin und Diätetik*, 10. Auflage, Urban und Fischer Verlag.
 27. Lev-Ari, S. et al. (2006): Curcumin synergistically potentiates the growth-inhibitory and proapoptotic effects of celecoxib in osteoarthritis synovial adherent cells. *Rheumatology*; 4:171–177.
 28. Long, Soeken, Ernst (2001): Herbal medicines for the treatment of osteoarthritis: a systematic review. *Rheumatology*, 40, 779–793.
 29. Loprinzi, C. L., Kugler, J. W., Sloan, J. A., Rooke, T. W., Quella, S. K., Novotny, P., Mowat, R. B., Michalak, J. C., Stella, P. J., Levitt, R., Tschetter, L. K., & Windschitl, H. (1999). Lack of effect of coumarin in women with lymphedema after treatment for breast cancer. *The New England journal of medicine*, 340(5), 346–350. <https://doi.org/10.1056/NEJM199902043400503>
 30. Lampe, J.W. (2003): Spicing up a vegetarian diet: chemopreventive effects for phytochemicals. *Am. J. Clin. Nutr.* 78, 5795–5835.
 31. Larsen, u.a. (2003): An anti-inflammatory galactolipid from rose hip (*Rosa canina* L.) inhibits chemotaxis of human peripheral blood neutrophils in vitro. *J Nat Prod.* 2003; 66: 994–995.

32. Lee, S.K. et al. (2002): Suppressive effect of natural sesquiterpenoids on inducible cyclooxygenase(COX2) and nitric oxide synthase(iNos) activity in mouse macrophage cells, *J Environ Pathol Toxicol Oncol*; 21/2:141–148.
33. Majdalawieh, A. F. & Carr, R. I. (2010): In Vitro Investigation of the Potential Immunomodulatory and AntiCancer Activities of Black Pepper (*Piper nigrum*) and Cardamom (*Elettaria cardamomum*). *Journal of Medicinal Food*, 13 (2), 371–381.
34. Majeed M, Majeed S, Narayanan NK et al. (2019). A pilot, randomized, double-blind, placebo- controlled trial to assess the safety and efficacy of a novel *Boswellia serrata* extract in the management of osteoarthritis of the knee. *Phytotherapy Research*;33:1457-1468
35. Mazumder, A. et al.(1995): Inhibition of human immunodeficiency virus type1 integrase by curcumin, *Biochem Pharmacol.*; 49/8:1165–1170.
36. Park, J. et al. (2010): Astaxanthin decreased oxidative stress and inflammation and enhanced immune response in humans. *Nutrition & Metabolism*, 7 (1), 18.
37. Qin, B. et al. (2009): Cinnamon extract attenuates TNFalpha-induced Intestinal lipoprotein ApoB48 overproduction by regulating inflammatory, insulin and lipoprotein pathways in enterocytes. *Hormone and Metabolic Research*. 41:1–7.
38. Rein, E. et al. (2004): A herbal remedy, Hyben Vital (stand. powder of a subspecies of *Rosa canina* fruits), reduces pain and improves general well-being in patients with osteoarthritis – a doubleblind, placebocontrolled, randomised trial. *Phytomedicine*;11, 383–391.
39. Rossnagel, K. et al. (2007): Klinische Wirksamkeit von Hagebuttenpulver bei Patienten mit Arthrose – eine systematische Übersicht. *MMW Fortschr Med*;149:51–56.
40. Roy NK, Parama D, Banik K et al. (2019). An Update on Pharmacological Potential of Boswellic Acids against Chronic Diseases. *International Journal of Molecular Sciences.*;20:4101-4128
41. Schmid, B., Lüdtkke, R., Selbmann, H. K., Kötter, I., Tschirdewahn, B., Schaffner, W., & Heide, L. (2001). Efficacy and tolerability of a standardized willow bark extract in patients with osteoarthritis: randomized placebo-controlled, double blind clinical trial. *Phytotherapy research : PTR*, 15(4), 344–350. <https://doi.org/10.1002/ptr.981>
42. Setty, A. et al. (2005): Herbal medications commonly used in the practice of rheumatology. Mechanisms of action, efficacy and side effects. *Seminars in Arthritis and Rheumatism*, 34, 6, 773–784.
43. Schmeck-Lindenau, H. J., Naser-Hijazi, B., Becker, E. W., Henneicke-von Zepelin, H. H., & Schnitker, J. (2003). Safety aspects of a coumarin-troxerutin combination regarding liver function in a double-blind placebo-controlled study. *International journal of clinical pharmacology and therapeutics*, 41(5), 193–199. <https://doi.org/10.5414/cpp41193>
44. Shakibaei, M. et al. (2005): Curcumin protects human chondrocytes from IL-1betainduced inhibition of collagen type II and beta1integrin expression and activation of caspase3: an immunomorphological study. *Ann Anat*; 187:487–497.
45. Sporer, F. u. Chrubasik, S. (1999): Präparate aus der Teufelskralle (*Harpagophytum procumbens*). *Zeitschrift für Phytotherapie*; 20, 235–236.
46. Surh, YJ. et al. (1998): Chemoprotective properties of some pungent ingredients present in red pepper and ginger. *Mutation Research* 402: 259–267.

47. Surh, Y.J. et al. (1995): Chemoprotective effects of capsaicin and diallyl sulfide against mutagenesis or tumorigenesis by vinyl carbamate and Nnitrosodimethylamine. *Carcinogenesis* vol. 16 no.10: 2467–2471.
48. Surh, Y.J. et al. (2001): Molecular mechanisms underlying chemopreventive activities of anti-inflammatory phytochemicals: downregulation of COX2 and iNOS through suppression of NF kappa B activation. *Mutation Res.* 243–268.
49. ViudaMartos, M. et al. (2010): Spices as Functional Foods. *Critical Reviews in Food Science and Nutrition*, 51(1), 13–28.
50. Warholm, O. et al. (2003): The effect of a standardized herbal remedy made of a subtype of *Rosa canina* in patients with osteoarthritis, a doubleblind, randomized, placebocontrolled clinical trial. *Current Ther Res*, 64, 21–31.
51. Wigler, I. et al. (2003): The effects of Zintona (a ginger extract) on symptomatic gonarthrosis. *Osteoarthritis Cartilage*, 11 (11); 783–9.
52. Winther, K. et al. (1999): The antiinflammatory properties of rosehip. *Inflammopharmacology* 1999; 7: 377–386.
53. Winther, K. et al. (2004): A powder prepared from seeds and shells of sub-type of rosehip *Rosa canina* reduces pain in patients with osteoarthritis of the hand – a doubleblind, placebo controlled study. *Osteoarthritis Cartilage* 12 Suppl 2, 145.
54. Wei, Y., Chen, J., Cai, GE. et al. (2021). Rosmarinic Acid Regulates Microglial M1/M2 Polarization via the PDPK1/Akt/HIF Pathway Under Conditions of Neuroinflammation. *Inflammation* 44, 129–147.
<https://doi.org/10.1007/s10753-020-01314-w>

Kakao

1. Engler, M. B. et al. (2004). FlavonoidRich Dark Chocolate Improves Endothelial Function and Increases Plasma Epicatechin Concentrations in Healthy Adults. *J Am Coll Nutr*, 23(3), 197– 204.
2. Grassi, D. et al. (2005): Cocoa Reduces Blood Pressure and Insulin Resistance and Improves Endothelium Dependent Vasodilation in Hypertensives. *Hypertension*, 46(2), 398–405.
3. Jia, L. et al. (2010): Short-term effect of cocoa product consumption on lipid profile: a meta-analysis of randomized controlled trials. *Am J Clin Nutr.*, 92(1), 218–225.
4. Keen, C. L. et al. (2005). “Cocoa antioxidants and cardiovascular health.” *Am J Clin Nutr* 81(1): 298S –303. - Kim, J.E. et al. (2010). Cocoa polyphenols suppress TNF α induced vascular endothelial growth factor expression by inhibiting phosphoinositide 3kinase (PI3K) and mitogenactivated protein kinase kinase1 (MEK1) activities in mouse epidermal cells. *British Journal of Nutrition*, 104(07), 957–964.
5. Lippi, G. et al. (2009). “Dark chocolate: consumption for pleasure or therapy?” *Journal of Thrombosis and Thrombolysis* 28(4): 482–488.
6. Mellor, D.D. et al. (2010): Highcocoa polyphenolrich chocolate improves HDL cholesterol in Type 2 diabetes patients, 27, 11, 1318–1321.
7. Melzig, M. F. et al. (2000). “In vitro pharmacological activity of the tetrahydroisoquinoline salsolinol present in products from *Theobroma cacao* L. like cocoa and chocolate.” *Journal of Ethnopharmacology* 73(1–2): 153–159.

8. Monagas, M. et al. (2009). Effect of cocoa powder on the modulation of inflammatory biomarkers in patients at high risk of cardiovascular disease. *Am J Clin Nutr.*, 90(5), 1144–1150.
9. Parker, G. et al. (2006): Mood state effects of chocolate. *Journal of Affective Disorders*, 92(2–3), 149– 159.
10. Rouraa, E. et al. (2007): Milk Does Not Affect the Bioavailability of Cocoa Powder Flavonoid in Healthy Human. *Journal of Nutrition, Metabolic Diseases and Dietetics*, 57(6), 493–498.
11. Strandberg, T. E. et al. (2008): Chocolate, wellbeing and health among elderly men.
12. Taubert, D. et al. (2007): Effects of Low Habitual Cocoa Intake on Blood Pressure and Bioactive Nitric Oxide *JAMA*, 298:49–60.

Vitamin D

1. Als, O.S. et al. (1987): Serum concentration of vitamin D metabolites in rheumatoid arthritis. *Clinical Rheumatology*, 6, 2, 238–243.
2. Bertone-Johnson, E.R. et al. (2005): Plasma 25hydroxyvitamin D and 1,25dihydroxyvitamin D and risk of breast cancer. *Cancer Epidemiol Biomarkers Prev.* Aug;14(8):1991–7.
3. Bischoff-Ferrari, H.A. et al. (2005): Fracture prevention with vitamin D supplementation: a meta analysis of randomized controlled trials. *JAMA* 11;293(18):2257–64.
4. Bischoff, H.A. et al. (2003):Effects of vitamin D and calcium supplementation on falls: a randomized controlled trial. *J Bone Miner Res.*Feb;18(2):343– 51.
5. Bischoff-Ferrari, H.A. et al. (2004): Effect of Vitamin D on falls: a meta-analysis. *JAMA.* Apr 28;291(16):1999– 2006.
6. Dietrich, T. et al. (2005): Association between serum concentrations of 25hydroxyvitamin D and gingival inflammation. *Am J Clin Nutr.* Sep;82(3):575–80.
7. Gysemans, C.A. et al. (2005):1,25Dihydroxyvitamin D3 modulates expression of chemokines and cytokines in pancreatic islets: implications for prevention of diabetes in nonobese diabetic mice. *Endocrinology.* Apr;146(4):1956–64.
8. Holick, M.F. (2006): High prevalence of vitamin D inadequacy and implications for health. *Mayo Clin Proc.*;81(3):353–73.
9. Holick, M.F. (2004): Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am J Clin Nutr.* Mar;79(3):362–71.
10. Holick, M.F. (2005): Vitamin D: important for prevention of osteoporosis, cardiovascular heart disease, type 1 diabetes, autoimmune diseases, and some cancers. *South Med J.* Oct;98(10):1024–7.
11. Miggiano, G.A., Gagliardi L. (2005): Diet, nutrition, and rheumatoid arthritis. *Clin Ter.* 156(3):115– 23.
12. Schleithoff, S.S. et al. (2006): Vitamin D supplementation improves cytokine profiles in patients with congestive heart failure: a doubleblind, randomized, placebocontrolled trial. *Am. J Clin Nutr.* 83, (4), 754–9

Vitamin K

1. Biesalski, H. K. (1999): Vitamin K (Mena und Phyllochinon). In: Biesalski, H K, Fürst, P, Kasper, H, Kluthe, R, Pöler, W, Puchstein, C, Stähelin, H. B. (Hrsg): Ernährungsmethodik. Thieme Verlag, Stuttgart.
2. Binkley, N. C. et al. (2002): A high phyloquinone intake is required to achieve maximal osteocalcin gamma-carboxylation. *Am J. Clin Nutr* 76, 1055–60.
3. Booth, S.L. et al. (2003): Vitamin K intake and bone mineral density in women and men. *Am. J. Clin. Nutr.* 77, 512.
4. Braam, L. A. et al. (2003): Vitamin K1 supplementation retards bone loss in postmenopausal women between 50 and 60 years of age. *Calcif Tissue Int* 73,21–26.
5. Chin K. Y. (2020). The Relationship between Vitamin K and Osteoarthritis: A Review of Current Evidence. *Nutrients*, 12(5), 1208. <https://doi.org/10.3390/nu12051208>
6. Harris, J. E. (1995): Interaction of dietary factors with oral anticoagulants: Review and applications. *J Am Diet Ass* 95, 580–584.
7. Institut für medizinische Diagnostik Berlin-Potsdam. (2023). Freies Vitamin D - Verbesserte Diagnostik der Vitamin D-Versorgung. imd-berlin. <https://www.imd-berlin.de/fachinformationen/diagnostikinformationen/freies-vitamin-d-verbesserte-diagnostik-der-vitamin-d-versorgung>
8. Jakob, F. (2002): Vitamin K und Knochenstoffwechsel. *MedReport* 26 Nr.5.
9. Koller, F. (1975): Spinat bei Antikoagulantienbehandlungen. *Dtsch med Wschr* 100, 570.
10. Schurgers, L. J. et al. (2001): Role of vitamin K and vitamin Kdependent proteins in vascular calcification. *Z. Kardiologie* 90, 57–63.
11. Shea, M. K. et al. (2008): Vitamin K and Vitamin D Status: Associations with Inflammatory Markers in the Framingham Offspring Study, *Am J Epidemiol*;167:313–320.
12. Shearer, M. J. (1995): Vitamin K. *Lancet* 345, 229–234.
13. Suttie, J. W. (1992): Vitamin K and human nutrition. *J Amer Diet Ass*, 585–590.
14. Vermeer, C. et al. (2003): Potential benefits of increase intakes of Vitamin K for bone and vascular health. *Eur. J. Nutr.* 43, 325.
15. Weber, P. (2001): Vitamin K and bone health. *Nutrition* 17, 880–887.

Bor

1. Devirian, T.A. u.a. (2003): The physiological effects of dietary boron. *Critical Reviews in Food Science and Nutrition*, 43, 219-231.
2. Hunt, C.D. (1999): Biochemical effects of physiological amounts of dietary boron. *J.Trace. Elem. Exp. Med.* 9, 185.
3. Newnham, R.E. (1994): Essentiality of boron for healthy bones and joints: *Environ. Health Perspect.* 102, 83.
4. Travers, R.L. (1990): Boron and Arthritis: The Results of a Double-blind Pilot Study *Journal of Nutritional & Environmental Medicine*, Volume 1, 2 , 127 – 132.
5. Hall I.CH. u.a. (1995): Anti-inflammatory activity of amine-carboxyboranes in rodents. *Arch Pharm (Weinheim)*. Jan;328(1):39-44.
6. Rajendran K.G. u.a. (1995): The anti-osteoporotic activity of amine-carboxyboranes in rodents *Biomed Pharmacother.*;49(3):131-40.
7. Routray, I., & Ali, S. (2016). Boron Induces Lymphocyte Proliferation and Modulates the Priming Effects of Lipopolysaccharide on Macrophages. *PloS one*, 11(3), e0150607. <https://doi.org/10.1371/journal.pone.0150607>

Süßstoffe

1. Basson, A. R., Rodriguez-Palacios, A., & Cominelli, F. (2021). Artificial Sweeteners: History and New Concepts on Inflammation. *Frontiers in nutrition*, 8, 746247. <https://doi.org/10.3389/fnut.2021.746247>
2. Hasan HM, Alkass SY, de Oliveira DSP. (2023). Impact of Long-Term Cyclamate and Saccharin Consumption on Biochemical Parameters in Healthy Individuals and Type 2 Diabetes Mellitus Patients. *Medicina*; 59(4):698. <https://doi.org/10.3390/medicina59040698>
3. Suez, J. et al. (2022). Personalized microbiome-driven effects of non-nutritive sweeteners on human glucose tolerance. *Cell*, 185(18), 3307–3328.e19. <https://doi.org/10.1016/j.cell.2022.07.016>

Dopamin

1. Davies, N., Frampton, C., Fuad, M., & Slykerman, R. (2023). The effect of supplementation with milk fat globule membranes on psychological health: A randomized clinical trial in healthy adults with moderate stress. *Journal of Functional Foods*, 105, 105585. <https://doi.org/10.1016/j.jff.2023.105585>
2. Wang, XQ., Cai, HH., Deng, QW. et al. (2023). Dopamine D2 receptor on CD4⁺ T cells is protective against inflammatory responses and signs in a mouse model of rheumatoid arthritis. *Arthritis Res Ther* 25, 87. <https://doi.org/10.1186/s13075-023-03071-1>

Medikamente

1. Bonmann, Tobias. (2021). Nichtsteroidale Antirheumatika (NSAR) und Niere: Pathophysiologie von NSAR-induzierten Nierenschäden. *Dialyse aktuell*. 25. 166-169. 10.1055/a-1324-5426.
2. Sondergaard, K. B., & Gislason, G. (2017). NSAIDs and cardiac arrest: Non-steroidal anti-inflammatory drug use is associated with increased risk of Out-of-hospital Cardiac Arrest: A nationwide Case-Time-Control study. *European heart journal*, 38(23), 1788–1789. <https://doi.org/10.1093/eurheartj/ehx267>

Verklebungen Bindegewebe

1. Kondrup, F., Gaudreault, N., & Venne, G. (2022). The deep fascia and its role in chronic pain and pathological conditions: A review. *Clinical anatomy (New York, N.Y.)*, 35(5), 649–659. <https://doi.org/10.1002/ca.23882>
2. Kumka, M., & Bonar, J. (2012). Fascia: a morphological description and classification system based on a literature review. *The Journal of the Canadian Chiropractic Association*, 56(3), 179–191.
3. Schleip, R., & Müller, D. G. (2013). Training principles for fascial connective tissues: scientific foundation and suggested practical applications. *Journal of bodywork and movement therapies*, 17(1), 103–115. <https://doi.org/10.1016/j.jbmt.2012.06.007>

4. Stecco, A., Gesi, M., Stecco, C., & Stern, R. (2013). Fascial components of the myofascial pain syndrome. *Current pain and headache reports*, 17(8), 352. <https://doi.org/10.1007/s11916-013-0352-9>

Bewegung

5. Chow, L. S., Gerszten, R. E., Taylor, J. M., Pedersen, B. K., van Praag, H., Trappe, S., Febbraio, M. A., Galis, Z. S., Gao, Y., Haus, J. M., Lanza, I. R., Lavie, C. J., Lee, C. H., Lucia, A., Moro, C., Pandey, A., Robbins, J. M., Stanford, K. I., Thackray, A. E., Villeda, S., ... Snyder, M. P. (2022). Exerkines in health, resilience and disease. *Nature reviews. Endocrinology*, 18(5), 273–289. <https://doi.org/10.1038/s41574-022-00641-2>
6. Kong, H., Wang, X. Q., & Zhang, X. A. (2022). Exercise for Osteoarthritis: A Literature Review of Pathology and Mechanism. *Frontiers in aging neuroscience*, 14, 854026. <https://doi.org/10.3389/fnagi.2022.854026>
7. Ning, K., Wang, Z., & Zhang, X. A. (2022). Exercise-induced modulation of myokine irisin in bone and cartilage tissue-Positive effects on osteoarthritis: A narrative review. *Frontiers in aging neuroscience*, 14, 934406. <https://doi.org/10.3389/fnagi.2022.934406>
8. Palazzo, C., Nguyen, C., Lefevre-Colau, M. M., Rannou, F., & Poiraudou, S. (2016). Risk factors and burden of osteoarthritis. *Annals of physical and rehabilitation medicine*, 59(3), 134–138. <https://doi.org/10.1016/j.rehab.2016.01.006>
9. Roggio, F., Petrigna, L., Trovato, B., Di Rosa, M., & Musumeci, G. (2023). The Role of Lubricin, Irisin and Exercise in the Prevention and Treatment of Osteoarthritis. *International journal of molecular sciences*, 24(6), 5126. <https://doi.org/10.3390/ijms24065126>
10. Teirlinck, C. H., Verhagen, A. P., van Ravesteyn, L. M., Reijneveld-van de Vendel, E. A. E., Runhaar, J., van Middelkoop, M., Ferreira, M. L., & Bierma-Zeinstra, S. M. (2023). Effect of exercise therapy in patients with hip osteoarthritis: A systematic review and cumulative meta-analysis. *Osteoarthritis and cartilage open*, 5(1), 100338. <https://doi.org/10.1016/j.ocarto.2023.100338>
11. Thorlund, J. B., Simic, M., Pihl, K., Berthelsen, D. B., Day, R., Koes, B., & Juhl, C. B. (2022). Similar Effects of Exercise Therapy, Nonsteroidal Anti-inflammatory Drugs, and Opioids for Knee Osteoarthritis Pain: A Systematic Review with Network Meta-analysis. *The Journal of orthopaedic and sports physical therapy*, 52(4), 207–216. <https://doi.org/10.2519/jospt.2022.10490>
12. Westcott, Wayne L. PhD. (2012). Resistance Training is Medicine: Effects of Strength Training on Health. *Current Sports Medicine Reports* 11(4):p 209-216. | DOI: 10.1249/JSR.0b013e31825dabb8
13. Young, J.J., Pedersen, J.R. & Bricca, A. (2023). Exercise Therapy for Knee and Hip Osteoarthritis: Is There An Ideal Prescription?. *Curr Treat Options in Rheum* 9, 82–98. <https://doi.org/10.1007/s40674-023-00205-z>

Epigenetik / Psychische Stärke

1. Bruce H. Lipton (2021): *Intelligente Zellen. Wie Erfahrungen unsere Gene steuern.* Koha-Verlag

2. Chaplin, M. F., (2019) Structure and properties of water in its various states, *Encyclopedia of Water: Science, Technology, and Society*, Ed. P. A. Maurice, Wiley. <https://doi.org/10.1002/9781119300762.wsts0002>
3. Fila, M., Pawlowska, E., Szczepanska, J., & Blasiak, J. (2023). Epigenetic Connections of the TRPA1 Ion Channel in Pain Transmission and Neurogenic Inflammation - a Therapeutic Perspective in Migraine?. *Molecular neurobiology*, 10.1007/s12035-023-03428-2. Advance online publication. <https://doi.org/10.1007/s12035-023-03428-2>
4. Gouin, O., L'Herondelle, K., Lebonvallet, N., Le Gall-Ianotto, C., Sakka, M., Buhé, V., Plée-Gautier, E., Carré, J. L., Lefeuvre, L., Misery, L., & Le Garrec, R. (2017). TRPV1 and TRPA1 in cutaneous neurogenic and chronic inflammation: pro-inflammatory response induced by their activation and their sensitization. *Protein & cell*, 8(9), 644–661. <https://doi.org/10.1007/s13238-017-0395-5>
5. Hwang, S. G., Lee, H. S., Lee, B. C., & Bahng, G. (2017). Effect of Antioxidant Water on the Bioactivities of Cells. *International journal of cell biology*, 2017, 1917239. <https://doi.org/10.1155/2017/1917239>
6. Langer, Ellen (2009). *Counter Clockwise: Mindful Health and the Power of Possibility*. New York, Ballantine Books.
7. Kameda, T., Zvick, J., Vuk, M., Sadowska, A., Tam, W. K., Leung, V. Y., Bölskei, K., Helyes, Z., Applegate, L. A., Hausmann, O. N., Klasen, J., Krupkova, O., & Wuertz-Kozak, K. (2019). Expression and Activity of TRPA1 and TRPV1 in the Intervertebral Disc: Association with Inflammation and Matrix Remodeling. *International journal of molecular sciences*, 20(7), 1767. <https://doi.org/10.3390/ijms20071767>
8. Kiecolt-Glaser J. K. (2010). Stress, food, and inflammation: psychoneuroimmunology and nutrition at the cutting edge. *Psychosomatic medicine*, 72(4), 365–369. <https://doi.org/10.1097/PSY.0b013e3181dbf489>
9. Mishkind, M., Vermeer, J. E., Darwish, E., & Munnik, T. (2009). Heat stress activates phospholipase D and triggers PIP accumulation at the plasma membrane and nucleus. *The Plant journal : for cell and molecular biology*, 60(1), 10–21. <https://doi.org/10.1111/j.1365-313X.2009.03933.x>
10. Radhakrishnan, A., Mukherjee, T., Mahish, C., Kumar, P. S., Goswami, C., & Chattopadhyay, S. (2023). TRPA1 activation and Hsp90 inhibition synergistically downregulate macrophage activation and inflammatory responses in vitro. *BMC immunology*, 24(1), 16. <https://doi.org/10.1186/s12865-023-00549-0>
11. Sejari, N., Kamaruddin, K., Ramasamy, K., Lim, S. M., Neoh, C. F., & Ming, L. C. (2016). The immediate effect of traditional Malay massage on substance P, inflammatory mediators, pain scale and functional outcome among patients with low back pain: study protocol of a randomised controlled trial. *BMC complementary and alternative medicine*, 16, 16. <https://doi.org/10.1186/s12906-016-0988-1>
12. Sondag, G. R., & Haqqi, T. M. (2016). The Role of MicroRNAs and Their Targets in Osteoarthritis. *Current rheumatology reports*, 18(8), 56. <https://doi.org/10.1007/s11926-016-0604-x>